



**Fitzpatrick
Woolmer**

Grenadier™ Waymarking Post

Oak **Grenadier™** waymarking posts are perfect for guiding visitors in any attraction, offering both style and functionality. Their discreet design blends seamlessly into natural or urban environments, providing clear, intuitive direction without being intrusive.

Built with durability in mind, they withstand harsh conditions while maintaining a sophisticated appearance. Versatile in placement, these posts can be used in a variety of settings, enhancing the visitor experience while ensuring ease of navigation.

Product features

- * Hardwood PEFC Oak and aluminium construction
- * Routed lettering and logos
- * Preservative and powdercoat finish
- * Standard sizes 1500mm x 140mm
- * 1 year manufacturer's warranty

Fitzpatrick Woolmer Design & Publishing Limited

Unit 7 Lakeside Park, Neptune Close, Rochester, Kent, ME2 4LT
t: 01634 711 771 e: info@fwdp.co.uk w: fwdp.co.uk



By Appointment to His Majesty The King
Manufacturer of Signs and Wayfinding
Fitzpatrick Woolmer Design & Publishing Ltd, Kent

Specification applies to the standard product. Our range of options usually allow us to accommodate any differences you may require. Please contact us and we will be happy to support you in developing this specification to meet your requirements.

Option delete/ update as appropriate

Manufacturer: Fitzpatrick Woolmer,
Unit 7 Lakeside Park, Neptune Close,
Rochester, Kent, ME2 4LT.

Tel: 01634 711 771

Email: info@fwdp.co.uk

Timber: PEFC QPA Grade, generally to BS EN 975-1

Species: Oak

Origin: France

Moisture content on delivery: 60% - 80%

Finish: Sadolin Classic wood preservative,
solvent based, matt

Colour: Light Oak

Metal: Aluminium

Grade: 1050

Thickness: 3mm


Finish: Powdercoat to BS EN 12206:2021 Part 1

Colour: Corten effect

Weight: 51kg

Installation: Posts extend 500mm below
ground level

Guarantee: One year manufacturer's warranty



Note: All dimensions are indicative only. Footing details are subject to soil conditions and structural engineers recommendations.